

JOWFE CO. FOR OIL TECHNOLOGY

FAX: 21861- 9092265,3372563

TEL: 21861-3389505-3389520

INFO @ JOWFE.LY

P.O BOX: 9019 / BENGHAZI – LIBYA



Announcement for general Bid-Bids

Jowfe Company For Oil Technology announces purchasing of the following drilling chemicals

MATERIAL	ORDER REF.	QUANTITY	SPECIFICATION
CASING ACCESSORIES	CMT-056-10	21 ITEM	AS ATTH.

Supplying and manufacturing companies

We urge those consider them selves qualified to supply the above drilling fluid chemicals to subnnett their offers participants have to stick for the following condition

1- Offer validity should be defined. (**Max possible validity**)

2- **Packing:**

Material to be packed on pallets, wrapped and covered.

3- Material expiry date should be shown on the packing label [sacks or drums] – which should not not less than (2) years

4- Freight charge must be at Benghazi port (**CFR**).

5- Safety data sheets and analyses for chemicals should be provided

6- Suppliers have the right to submit different offers(**one or more**) from different sources [USA-ASIA-EUROPE-Etc].

7- Payment terms should be defined (**Prefer. Cash. Against Documents CAC**)

8- Bid closing date is (2) weeks.

9- Suppliers should send two separate offers

*- Technical offer (un-priced) to be addresser to the materials in sealed envelope acopy to be faxed or Emailed to the sealed

*- Commercial offer

- If less than 10, 000.00 Euro (ten thousand) to be addressed to the Materials Manager by fax of E.maill.

- If the commercial offer is more than10, 000.00 Euro (ten thousand) it should be sent in sealed envelope and addressed to the chair man of the purchasing committee.

JOWFE CO. FOR OIL TECHNOLOGY

015 km GAMINES ROAD

-P.O. BOX 9019 BENGHAZI – LIBYA.

Required Documents:

- Original commercial invoice.
- Authenticated certificate of origin.
- Original bill of lading (**B/L**). (3 origin)
- Packing list
- Bank details
- Inspection certificate [IF REQUIRED].

Documents should be notarized by the Libyan bureau.

In case the received materials were out of specifications, supplier will be obliged to take all responsibilities.

* Documents should be notarized by the Libyan Bureau.

Best Regards

Eng. Massoud Eddhib

Materials Manage

CEMENT FLOAT SHOES, Type 226		
CASING SIZE	DESCRIPTION	QTY
7" Buttress	20-32 PPF, L-80, BTC.	04
9-5/8" Buttress	32.3-53.5 PPF, L/ N-80, BTC	04
13 3/8" 8-RD	48-72 PPF, K-55, 8-RD STC.	10
CEMENT FLOAT COLLAR Type 225		
7" Buttress	20-32PPF, L-80, BTC.	04
9-5/8" Buttress	32.3-53.5PPF, L/N-80, BTC	04
13 3/8" 8-RD	48-72PPF, K-55, 8RD STC	10
NON WELDED CENTRALIZER , STD. BOW, Type 350		
7"CSG	For 8 3/8" -8 1/2" Hole, Type 350	200
9 5/8"CSG	For 11 3/4" -12 1/4 "Hole, Type 350	200
13 3/8"CSG	For 17 1/2" Hole, Type 350	300
NON-WELDED CENTRALIZER, POSITIVE, Type 380		
9 5/8" CSG	W/ 12 1/8" OD., Type 380	60
13 3/8" CSG	W/ 17 " OD., Type 380	60
CENTRALIZER, RIGID, Type 341		
7" CSG	For 9 5/8" CASED Hole	20
9 5/8" CSG	For 13 3/8" CASED Hole	40
13 3/8" CSG	For 17" CASED Hole	30
THREAD LOCKING COMPOUND Type 200		
Two Part Kit, one pound, each kit		50 KITS
CEMENT PLUGS "TOP OR BOTTOM", PER SETS		
9 5/8" CSG	PCD Drillable,Type 255 top/Type 256 bottom	10 SETS
13 3/8" CSG	PCD Drillable,Type 255 top/Type 256 bottom	10 SETS
9 5/8" csg, 8-RD	two-stage cementing collar, drillable; type 651, 43.5- 53.5 PPDF , L80, long thread box & short thread pin – complete with baffle plate, first stage flexible plug, opening bomb & closing plug	4 complete sets
9 5/8" csg,	Plugset, Drillable for a.m. Multi stage cement collar, first stage flexible plug, opening bomb & closing plug, type 650, with baffle plate	4 complete sets
	Stab-In Float shoe	
13 3/8" csg, 8-RD	Stab-in float shoe, type 221, 61-72	2 complete sets

	PPF...with suitable stinger for 5" D.P..	
13 3/8" csg, BTC	Stab-in float shoe, type 221, 61-72 PPF...with suitable stinger for 5" D.P..	3 complete sets

Manufacturer ABOVE ITEMS: TOP CO. INDUSTRY, CANADA

--or equivalent to any of the above mentioned Top Co. Equipments.