

**JOWFE CO. FOR OIL TECHNOLOGY**

**FAX: 21861- 9092265,3372563**

**TEL: 21861-3389505-3389520**

**INFO @ JOWFE.LY**

**P.O BOX: 9019 / BENGHAZI – LIBYA**



**Announcement for general Bid-Bids**  
**Jowfe Company For Oil Technology announces purchasing of the following**

<b>MATERIAL</b>	<b>ORDER REF.</b>	<b>QUANTITY</b>	<b>SPECIFICATION</b>
AS ATTH.	SSE-065-10 SSE-066-10 SSE-080-10	AS ATTH.	AS ATTH.

We urge manufacturing and Supplying companies those consider them selves qualified to supply the above well production testing spare parts slick live equipment spare parts and generator equipment spare parts submit their offers according to the following terms and conditions:-

- 1- Offer validity should be defined. (**Max possible validity**).
  - 2- Freight charge must be at Benghazi port (**CFR**).
  - 3- Payment terms should be defined (**Prefer. Cash. Against Documents CAD**).
  - 4- Bid closing date is (**3**) weeks.
  - 5- Suppliers should send two separate offers.
- \*- Technical offer (un-priced) to be addresser to the materials in sealed envelope acopy to be faxed or Emailed to the sealed
- \*- Commercial offer
- If less than 10, 000.00 Euro (ten thousand) to be addressed to the Materials Manager by fax of E.maill.
  - If the commercial offer is more than10, 000.00 Euro (ten thousand) it should be sent in sealed envelope and addressed to the chair man of the purchasing committee.

**JOWFE CO. FOR OIL TECHNOLOGY**

**015 km GAMINES ROAD**

**-P.O. BOX 9019 BENGHAZI – LIBYA.**

**📄 Required Documents:**

- Original commercial invoice.
- Authenticated certificate of origin.
- Original bill of lading (**B/L**). (3 origin)
- Packing list
- Bank details
- Inspection certificate [IF REQUIRED].

Documents should be notarized by the Libyan bureau.

**In** case the received materials were out of specifications, supplier will be obliged to take all responsibilities.

\* Documents should be notarized by the Libyan Bureau.

Best Regards  
Eng. Massoud Eddhib  
Materials Manage

**Sub-Surface Div.**

**Well Production Testing** Spare parts request: SSE-066

---

**Spare Parts**

<b>Item</b>	<b>Part. No.</b>	<b>Description</b>	<b>Qty</b>
1		Emergency Shut-down system (ESD) c/w Resato control panel, hoses, 10K Barton Pressure recorder, Pneumatic ESD buttons and Quick Exhaust Valve	1
2		Portable Gas Gravimeter- Ranarex	1
3		3 1/16" 10K Safety valve NACE spec.	1
4		3", 10K Data header, NACE spec.	1
5		Box H <sub>2</sub> S RAE tubes- <b>5 each of below ranges</b>	
		<b>Scale:10-120 ppm</b> <b>100-2000 ppm</b> <b>0.1 – 2%</b>	5 boxes /each range
6		Box CO <sub>2</sub> RAE tubes- <b>5 each of below ranges</b>	
		<b>Scale:300-5000 ppm</b> <b>0.05 – 1%</b>	5 boxes /each range
7		2"1480 # 600 PBV Ball Valves, NACE spec., <u>11 1/2"</u> long Face to Face	<b>10 ea.</b>
8		3"1480 # 600 <b>Custom Made</b> B230R06S-FS Ball Valves, NACE spec., <u>17 1/2"</u> long Face to Face	<b>10 ea.</b>
9		Falcon Electronic Dead Weigh Tester, 10,000 psi MWP	1unit
10		Activ-8 Pneumatic grease gun, 10,000 psi MWP, air driven mounted on trolley	1 unit

**Sub-Surface Div. Wireline Production**

**Slickline Equipment Spare parts request: SSE-065**

**Spare Parts**

Item	Part. No.	Description	Qty
1		2" Otis JDC Pulling Tool, complete	2
2		2" Otis JUC Pulling Tool, complete	2
3		2" Otis RB Pulling Tool, complete	1
4		2.5" Otis RB Pulling Tool, complete	1
5		Wire Finder 2"	1
6		Wire Finder 2.5"	1
7		Wire Finder 3" Solid	1
8		Lead Impression block, 1.375-1.625, H <sub>2</sub> S	2
9		Lead Impression block, 2.125- 2.375", H <sub>2</sub> S, 2.25" OD	2
10		Knuckle Jars 1-1/2", H <sub>2</sub> S	2
11		Cross-over, 3/4 NF Pin x 5/8 S.R. box, 1.25"OD	2
12		Cross-over, 1.68 S.R Pin x 5/8 S.R. Box	2
13		Cross-over, 5/8 S.R Pin x 1.68 S.R. Box	2
14		0.108 Stuffing Box Packing	100
15		O-Ring, 340, 80 Dur	50
16		Pressure Wheel, 0.108 ( one goes with item 31 & 32)	6
17		0.108 Hay Pulley Bearing, taper, Roller	10
18		14" Hay Pulley Assembly	1
19		Counter Cable, 15 ft. OAL	5
20		Counter Cable, 10 ft. OAL	2
21		Veeder Root Counter c/w Cable, Adapter 1 to 1	4
22		Stainless Steel Knives Perforator: 2-3/8	10
23		Stainless Steel Knives Perforator: 2-7/8"	10
24		Stainless Steel Knives Perforator: 3- 1/2"	10
25		Trip Wire, F-Collar Stop 2 Inconel (for Hang Parts to Otis Type F)	10
26		Trip Wire, F-Collar Stop 2.5 Inconel (for Hang Parts to Otis Type F)	10
27		Trip Wire, F-Collar Stop 3 Inconel (for Hang Parts to Otis Type F)	10

28		Martin Decker (brand) Weight Indicator 0-3,000 lbs complete: with 100 ft. of hose and Martin Decker Pump	2
29		Stainless Steel Wire line, 0.108 x 20,000 ft. P10 W	5
30		Measure wheel, 1M x 0.108, complete set	1 set
31		Hydraulic Jars Size 1 1/2" Lee Oil Field	1
32		Hydraulic Jars Size 1-3/4" Lee Oil Field	1

**Slickline Equipment Spare parts request: SSE-065**

Item	Part. No.	Description	Qty
33		Arms Assembly-- L-Kick-over Tool, 2- 1/2"	10
34		Shear stock: Brass 1/8"	25 per each size
35		Shear stock: Brass 3/16"	25 per each size
35		Shear stock: Brass 5/16"	25 per each size
37		Shear stock: Brass 1/2"	25 per each size
38		Shear stock: Aluminum 1/8"	25 per each size
39		Shear stock: Aluminum 3/16"	25 per each size
40		Shear stock: Aluminum 5/16"	25 per each size
41		Shear stock: Aluminum 1/2"	25 per each size
42		Shear stock: Steel/Drill rod 1/8"	25 per each size
43		Shear stock: Steel/Drill Rod 3/16"	25 per each size
44		Shear stock: Steel/ Drill Rod 5/16"	25 per each size
45		Shear stock: Steel/ Drill Rod 1/2"	25 per each size

**Sub-Surface Div. [Wireline](#) Production**

**Generator Equipment** Spare parts request: SSE-080

Item	Part. No.	Description	Qty
1		Model 07232 , John Deere Powered , 30 kw, 1 Phase Diesel Generator with sound enclosure.	1
2		100 gallon fuel tank, included in price	1
3		Fisher 2900 (L20 Fuel level Controller	6
4		Crating & Packaging included in price. Manufacturers Warranty applies.	1
5		Maintenance Manual- original copy	1